L Number	Hits	Search Text	DB	Time stamp
1	694083	detect\$4 or determin\$4 or measur\$6 or	USPAT;	2003/07/18 15:18
		sens\$4 or calculat\$4 or adjust\$4 or	US-PGPUB;	
		compensat\$4) near6(angle or orientat\$4 or	EPO; JPO;	
		rotat\$4	DERWENT;	
			IBM_TDB	
2	853	vanish\$4 near3 point	USPAT;	2003/07/18 15:17
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	20	(detect\$4 or determin\$4 or measur\$6 or	USPAT;	2003/07/18 14:14
		sens\$4 or calculat\$4 or adjust\$4 or	US-PGPUB;	
		compensat\$4) near6(angle or orientat\$4 or	EPO; JPO;	
		rotat\$4) with (vanish\$4 near3 point)	DERWENT;	
		10000,1, 11200 (100000,100000 F00000,	IBM TDB	
5	40361	focal near3 point	USPAT;	2003/07/18 14:40
3	10301	local nears point	US-PGPUB;	2000,01,10 11110
			EPO; JPO;	
			DERWENT;	
6	20720	food noon noint	IBM_TDB	2003/07/19 14:40
6 .	38739	focal near point	USPAT;	2003/07/18 14:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	0000/00/15
7	10782	1 1	USPAT;	2003/07/18 14:42
		sens\$4 or calculat\$4 or adjust\$4 or	US-PGPUB;	
		compensat\$4) near6(angle or orientat\$4 or	EPO; JPO;	
		rotat\$4) and (focal near point)	DERWENT;	
			IBM_TDB	
8	667687	transform\$6	USPAT;	2003/07/18 14:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	830	(detect\$4 or determin\$4 or measur\$6 or	USPAT;	2003/07/18 14:43
		sens\$4 or calculat\$4 or adjust\$4 or	US-PGPUB;	1
		compensat\$4) near6(angle or orientat\$4 or	EPO; JPO;	
		rotat\$4) with (focal near point)	DERWENT;	1
		locatory with (local hear point)	IBM TDB	
10	5	transform\$6 with ((detect\$4 or determin\$4	USPAT;	2003/07/18 14:43
10		or measur\$6 or sens\$4 or calculat\$4 or	US-PGPUB;	2000,0,,10 11110
		adjust\$4 or compensat\$4) near6(angle or	EPO; JPO;	
		orientat\$4 or rotat\$4) with (focal near	DERWENT;	1
		point))	IBM TDB	
15	410170	1 *	USPAT;	2003/07/18 14:48
12	419172	camera		2003/07/10 14:48
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	1
1.0		(IBM_TDB	2002/07/10 14:40
16	59	(vanish\$4 near3 point) with camera	USPAT;	2003/07/18 14:48
	[US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
21	11	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/07/18 14:57
		desired or optimum)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	29		USPAT;	2003/07/18 15:00
		desired or optimum or plural or many)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
28	237	vanish\$4 near3 points	USPAT;	2003/07/18 15:01
~~]		US-PGPUB;	
			EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
[*	IBM TDB	
i		The state of the s	I TOM IND	1 15 A 15

Search History 7/18/03 4:26:47 PM Page

29	17	camera with (vanish\$4 near3 points)	USPAT;	2003/07/18 15:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	i i
34	73	(vanish\$4 near3 point)with vertical	USPAT;	2003/07/18 15:06
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	ļ
35	0	(vanish\$4 near3 point)with mulitple	USPAT;	2003/07/18 15:18
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

Search History 7/18/03 4:26:47 PM Page 2

sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4 2 853 vanish\$4 near3 point 2 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or sens\$4 or calculat\$4 or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) Sens\$4 or calculat\$4 or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	18 15:18 18 17:50 18 17:41
sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4 2 853 vanish\$4 near3 point 2 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or vsens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	'18 17:50 '18 17:41 '18 14:40
compensat\$4) near6(angle or orientat\$4 or rotat\$4 2 853 vanish\$4 near3 point 2 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or compensat\$4) near6(angle or orientat\$4 or compensat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point Compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; I	'18 17:41 '18 14:40
rotat\$4 2 853 vanish\$4 near3 point 20 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or compensat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	'18 17:41 '18 14:40
18M TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-	'18 17:41 '18 14:40
2 853 vanish\$4 near3 point 3 20 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	'18 17:41 '18 14:40
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 3	'18 17:41 '18 14:40
3 20 (detect\$4 or determin\$4 or measur\$6 or Sens\$4 or calculat\$4 or adjust\$4 or Sens\$4 or calculat\$4 or orientat\$4 or Sens\$4 or calculat\$4 or orientat\$4 or Sens\$4 or calculat\$4 or orientat\$4 or orie	/18 14:40
3 20 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	/18 14:40
3 20 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	/18 14:40
20 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point 2003/07, USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	/18 14:40
3 20 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point 2003/07, USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	/18 14:40
sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point Sens\$4 or calculat\$4 or adjust\$4 or compensat\$4 or rotat\$4) with (vanish\$4 near3 point) EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	/18 14:40
compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 near3 point) 5 40361 focal near3 point 6 38739 focal near point compensat\$4) near6(angle or orientat\$4 or pEPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	
rotat\$4) with (vanish\$4 near3 point) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	
5 40361 focal near3 point USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	
5 40361 focal near3 point USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
6 38739 focal near point IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
6 38739 focal near point USPAT; 2003/07, US-PGPUB; EPO; JPO; DERWENT;	
US-PGPUB; EPO; JPO; DERWENT;	/10 1/-/^
EPO; JPO; DERWENT;	10 14:40
DERWENT;	
י מתיי אמדו	
i	
10/02 (40000041 02 4000211121141 02 111121141 11	/18 17:25
sens\$4 or calculat\$4 or adjust\$4 or US-PGPUB;	
compensat\$4) near6(angle or orientat\$4 or EPO; JPO;	
rotat\$4) and (focal near point) DERWENT;	
IBM_TDB	
8 667687 transform\$6 USPAT; 2003/07.	/18 14:43
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
9 830 (detect\$4 or determin\$4 or measur\$6 or USPAT; 2003/07.	/18 14:43
sens\$4 or calculat\$4 or adjust\$4 or US-PGPUB;	
compensat\$4) near6(angle or orientat\$4 or EPO; JPO;	
rotat\$4) with (focal near point) DERWENT;	
IBM TDB	
	/18 14:43
or measur\$6 or sens\$4 or calculat\$4 or US-PGPUB;	
adjust\$4 or compensat\$4) near6(angle or EPO; JPO;	
orientat\$4 or rotat\$4) with (focal near DERWENT;	
	/18 14:48
15 419172 camera USPAT; 2003/07 US-PGPUB;	TO 14:40
EPO; JPO;	
DERWENT;	
IBM_TDB	/18 14:48
1 to (tanzon) t money points	.TO T4:48
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	/10 11 55
21 II Vanibuy: nears point with (Protestant)	/18 14:57
desired or optimum) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
1 22 Taniburt mode Police materials and the second secon	/18 15:00
desired or optimum or plural or many) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
	/18 15:01
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
1200 120	

29	17	camera with (vanish\$4 near3 points)	USPAT; US-PGPUB;	2003/07/18 15:01
			EPO; JPO; DERWENT; IBM TDB	
34	73	(vanish\$4 near3 point)with vertical	USPAT; US-PGPUB;	2003/07/18 15:06
			EPO; JPO; DERWENT;	:
25		(i shoot 2 intheside mulitule	IBM_TDB USPAT;	2003/07/18 15:18
35	0	(vanish\$4 near3 point)with mulitple	US-PGPUB;	2003/07/16 13:16
			EPO; JPO; DERWENT;	
142	853	vanish\$4 near3 point	IBM_TDB USPAT;	2003/07/18 16:52
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	0000/07/10 16 51
143	2912684	rotat\$4	USPAT; US-PGPUB;	2003/07/18 16:51
			EPO; JPO; DERWENT;	
145	34	(vanish\$4 near3 point) with rotat\$4	IBM_TDB USPAT;	2003/07/18 16:52
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
146	745	vanish\$4 near2 point	USPAT; US-PGPUB;	2003/07/18 17:00
			EPO; JPO; DERWENT;	
147	665	vanish\$4 near point	IBM_TDB USPAT;	2003/07/18 17:18
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	0000/07/10 17:01
148	2218822	image	USPAT; US-PGPUB;	2003/07/18 17:01
			EPO; JPO; DERWENT;	
149	164	(vanish\$4 near point) with image	IBM_TDB USPAT;	2003/07/18 17:01
			US-PGPUB; EPO; JPO;	
1.50	705464		DERWENT; IBM_TDB	2003/07/18 17:20
152	705464	selection	USPAT; US-PGPUB; EPO; JPO;	2003/07/16 17:20
			DERWENT; IBM TDB	
153	~ 6	(vanish\$4 near2 point) with selection	USPAT; US-PGPUB;	2003/07/18 17:22
			EPO; JPO; DERWENT;	
154	97298	candidate	IBM_TDB USPAT;	2003/07/18 17:21
124	3/298	Canatage	US-PGPUB; EPO; JPO;	2000,01,10 17.21
			DERWENT; IBM TDB	
155	14	(vanish\$4 near point) with candidate	USPAT; US-PGPUB;	2003/07/18 17:22
			EPO; JPO; DERWENT;	
			IBM TDB	

Search History

7/18/03 6:09:44 PM

Page 2

			,	
156	830	(detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or	USPAT; US-PGPUB;	2003/07/18 17:25
		<pre>compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (focal near point)</pre>	EPO; JPO; DERWENT; IBM TDB	
160	631	vanish\$4 ADJ point	USPAT; US-PGPUB; EPO; JPO;	2003/07/18 17:53
161	20	(detect\$4 or determin\$4 or measur\$6 or	DERWENT; IBM_TDB USPAT;	2003/07/18 17:51
101	20	sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 ADJ point)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/18 17:31
162	41	<pre>(detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) same (vanish\$4 ADJ point)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 17:51
163	4088509	candidate or selection or deci\$4 or multiple or many or var\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 17:55
164	66	(candidate or selection or deci\$4 or multiple or many or var\$4) with (vanish\$4 near3 point)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 17:57
165	0	camera with alignment with vanish	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/18 17:58
166	12996	camera with (alignment or orient\$5)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/18 17:59
167	1196548	correction or adjustment or realign\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 18:00
168	585	(camera with (alignment or orient\$5)) with (correction or adjustment or realign\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 18:01
169	0	((camera with (alignment or orient\$5)) with (correction or adjustment or realign\$4)) with (vanish\$4 near3 point)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 18:01
170	1398574	perspective or vanish\$3point or view\$3point or common\$point	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 18:03
171	10	with (correction or adjustment or realign\$4)) with (perspective or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/18 18:08
172	12980	<pre>vanish\$3point or view\$3point or common\$point) surveying</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/18 18:09
			DERWENT; IBM_TDB	

			-	
173	3068	surveying and (detect\$4 or determin\$4 or	USPAT;	2003/07/18 18:09
		measur\$6 or sens\$4 or calculat\$4 or	US-PGPUB;	
		adjust\$4 or compensat\$4) near6(angle or	EPO; JPO;	
		orientat\$4 or rotat\$4)	DERWENT;	
i			IBM TDB	